




# Stainless Steel Pressure Reducing Valve Screwed End





## General Description:

The stainless steel, directing acting pressure reducing valve is to protect water installations against excessive pressure from the supply.

#### Material

No	Part Name	Material
1	Plug	Stainless Steel
2	'O' Ring	Silicone
3	Body	Stainless Steel
4	Guide Seat	Stainless Steel
5	Seat	Stainless Steel
6	Sealing Sheet	Stainless Steel
7	Bolt	Stainless Steel
8	Diaphragm	Silicone
9	Diaphragm Plate	Stainless Steel
10	Bolt	Stainless Steel
11	Adjusting Spring	Stainless Steel
12	Bonnet	Stainless Steel
13	Adjusting Bolt	Stainless Steel
14	Spring Plate	Stainless Steel

### Specification:

Working Pressure: 1.0 Mpa StrengthTest: 1.5 Mpa Sealing Test : 1.1 Mpa

Adjustable Pressure Range : 0.1~0.8 Mpa Working Temperature: 80~100 deg C

## Diamension (mm)

Size	L	Н
1/2"	67	90
3/4"	78	103
1"	88	114
1.1/4"	104	143
1.1/2"	104	143
2"	111	156

The contents of this literature are for informative purposes only. Arita is not responsible for suitability or compatibility of these Products in relation to system requirement .For specific requirements, consult Arita or its distributors, Arita reserves the right to change or modify product design without prior notice.